

FOOD-GRADE SILICONE

Ref. A25375 - 500 mL

QUICK TECH

LUBRICATION



For effectively greasing systems that may come into contact with food.

- Certified NSF H1
- Prevents wear, rust and corrosion
- Clean, stable, penetrating
- Water-repellent
- Dry lubrication



LUBRIFIANT A CONTACT ALIMENTAIRE FORTUIT



Nonfood Compounds
(Catégorie Code: H1)

INCIDENTAL FOOD CONTACT LUBRICANT

APPLICATION

Food-grade silicone lubricant.

Prevents materials from sticking. Anti-adhesive. Efficient mold release. Anti-static and water-repellent, for use in temperatures ranging from -50°C to +200°C with very high adherence on metal. Excellent for mold release from injected plastic, thermobonded, and rubber elements in the food-processing industry.

Can be used for all kinds of applications, including in food and drink processing and packaging, such as bakeries, meat processing, dairy, water, etc.

Lubricates and prevents wear on seals, hinges, slide bars, locks, rubber, plastic and by-products, all metals, wood, etc.

Specifications:

- Use: from -20°C to +200°C
- Properties: prevents wear, rust and corrosion. Water-repellent.
- Formulation: Made with certified NSF H1 silicone
- Distribution: Spray nozzle with extension straw for precise application and use in hard-to-reach areas.
- Colorless, tasteless, and odorless

**NSF: International certification for compliance with hygiene standards for lubricants having incidental contact with food. This product is acceptable as a lubricant having incidental contact with food (H1) for use in and around food processing areas.*

RECOMMENDED FOR

- Cars and trucks.
- Food
- Plastic
- Pharmaceutical
- Packaging, canning
- Printing

PACKAGING

Packaging unit (PU): 500 mL aerosol can

Sales unit (SU):
Box of 12 units

Pallet size:
1080 units – 90 boxes

Tin can diameter:
65 mm/Height: 195 mm
Nominal volume: 650 mL
Net volume: 500 mL

INSTRUCTIONS

Shake well before use.
Spray evenly 20 cm from the surface. Repeat every time lubrication is required.

REGULATIONS

FOR PROFESSIONAL USE ONLY.
Hazardous. Follow precautions for use.

*Refer to the safety data sheet (SDS), available upon request.
Our data sheets are prepared with current knowledge and are subject to modifications.
Photo non-binding. 01/01/2024 Index 1.0*

S.I.C.O.

577 Rue du Pommarin B.P. 16 – Voreppe - 38341 Moirans CEDEX France
Tel: +33 (0)4 76 50 85 50 / sico.commercial@sico.fr / www.sico.fr